Page: 1

Printed: 07/14/2015

Revision: 04/17/2015

Supersedes Revision: 02/25/2015

1. Product and Company Identification

Product Code: 496; 497

Product Name: Non-Ammoniated Wax Stripper

Company Name: West Coast Maintenance Phone Number: 337 S. Western Ave. (213)382-0973

os Angeles CA 00020

Los Angeles, CA 90020

Emergency Contact: Infotrac (800)535-5053

Infotrac Contract #10732

Recommended Use: Floor Stripper

Intended Use: For sale to, use and storage by service persons only.

2. Hazards Identification

Acute Toxicity: Oral, Category 4
Skin Corrosion/Irritation, Category 2

Serious Eye Damage/Eye Irritation, Category 2A



GHS Signal Word: Warning

GHS Hazard Phrases: Harmful if swallowed.

Causes skin irritation.

Causes serious eye irritation.

GHS Precaution Phrases: Wash hands thoroughly after handling.

Wear protective gloves, protective clothing, eye protection, face protection.

Keep out of reach of children.

GHS Response Phrases: If swallowed: Call a Poison Center or doctor if you feel unwell.

If on skin (or in hair): Wash with plenty of soap and water. If skin irritation occurs, get medical attention immediately.

Take off contaminated clothing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

If eye irritation persists, get medical attention immediately.

GHS Storage and Disposal

Phrases:

Dispose of contents and container according to the local, city, state and federal

regulations.

Store in cool dry place at room temperature away from direct sunlight.

Potential Health Effects

(Acute and Chronic):

Prolonged or repeated skin contact may cause dermatitis.

Inhalation: Dizziness, headaches and irritation. Avoid breathing vapors or mists.

Skin Contact: Causes skin irritation. May cause skin rash (in milder cases), and cold and clammy skin

with cyanosis or pale color.

Eye Contact: Corrosive to the eyes and may cause severe damage including blindness. Avoid any eye

contact.

Ingestion: May cause severe gastrointestinal tract irritation with nausea, vomiting and possible

burns. Causes burns.

Page: 2 Printed: 07/14/2015 Revision: 04/17/2015

Supersedes Revision: 02/25/2015

3. Composition/Information on Ingredients

CAS# **Hazardous Components (Chemical Name)** Concentration 111-76-2 Ethanol, 2-Butoxy-Proprietary 1310-73-2 Sodium hydroxide Proprietary 78-96-6 1-Amino-2-Propanol Proprietary 6834-92-0 Silicic acid (H2SiO3), Disodium salt Proprietary

4. First Aid Measures

Emergency and First Aid

Procedures:

Remove from exposure and move to fresh air immediately. If breathing is difficult, give In Case of Inhalation:

oxygen. If unconscious, call a physician.

In Case of Skin Contact: Flush skin with plenty of water for at least 15 minutes while removing contaminated

clothing and shoes. Wash clothing before reuse. Consult a physician.

In Case of Eye Contact: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. In Case of Ingestion: If victim is conscious and alert, give 2-4 cupfuls of milk or water. Consult a physician.

Signs and Symptoms Of

Exposure:

Note to Physician:

Burning sensation, Cough, Wheezing, Laryngitis, Shortness of breath.

Treat symptomatically and supportively.

Fire Fighting Measures

ΝE Flash Pt:

Explosive Limits: LEL: N/A N.E. UEL: N/A N.E.

Autoignition Pt: NE

Suitable Extinguishing Media: Use water spray, dry chemical, carbon dioxide, or chemical foam.

Fire Fighting Instructions: As in any fire, wear a self-contained breathing apparatus in pressure-demand,

MSHA/NIOSH (approved or equivalent), and full protective gear.

Flammable Properties and

Hazards:

No data available.

6. Accidental Release Measures

Steps To Be Taken In Case Material Is Released Or

Spilled:

Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks: Absorb spill with inert material (e.g. vermiculite, sand or earth), then place

in suitable container. Avoid runoff into storm sewers and ditches which lead to

waterways.

Handling and Storage

Precautions To Be Taken in

Handling:

Do not get in eyes, on skin, or on clothing. Do not ingest or inhale. Wash thoroughly after handling. Keep away from heat and flame. Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed.

Precautions To Be Taken in Store in a cool, dry, well-ventilated area away from incompatible substances.

Storing:

8. Exposure Controls/Personal Protection

Page: 3 07/14/2015 Printed:

No data.

No data.

Supersedes Revision:

Revision: 04/17/2015

02/25/2015

CAS#	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
111-76-2	Ethanol, 2-Butoxy-	PEL: 50 ppm	TLV: 20 ppm	No data.
1310-73-2	Sodium hydroxide	PEL: 2 mg/m3	CEIL: 2 mg/m3	No data.

6834-92-0 Silicic acid (H2SiO3), Disodium salt No data. No data.

No data.

Respiratory Equipment

(Ventilation etc.):

Practices:

78-96-6

(Specify Type):

Wear appropriate protective eyeglasses or chemical safety goggles as described by **Eye Protection:**

Always use a NIOSH approved respirator when necessary.

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

No data.

EN166.

Protective Gloves: Wear appropriate protective gloves to prevent skin exposure. Handle with gloves.

Other Protective Clothing: Wear appropriate protective clothing to prevent skin exposure.

Engineering Controls Use adequate general or local exhaust ventilation to keep airborne concentrations below

the permissible exposure limits.

Handle in accordance with good industrial hygiene and safety practice. Wash hands Work/Hygienic/Maintenance

before breaks and at the end of workday.

Physical and Chemical Properties

Physical States: [] Gas [X] Liquid [] Solid Appearance and Odor: Yellow color liquid with solvent odor.

Melting Point:

Boiling Point: > 212.00 F

1-Amino-2-Propanol

Decomposition Temperature: NE Autoignition Pt: NE Flash Pt: NE

N.E. N.E. **Explosive Limits:** LEL: N/A UEL: N/A

Specific Gravity (Water = 1): 1.040 Density: 8.67 LB/GA

Vapor Pressure (vs. Air or

NE

mm Hg):

No data. Vapor Density (vs. Air = 1): ΝE **Evaporation Rate:** Solubility in Water: 100% NE Saturated Vapor

Concentration:

NP Viscosity:

11.5 - 12.5 pH: **Percent Volatile:** No data. **VOC / Volume:** 57.0000 G/L

Page: 4
Printed: 07/14/2015
Revision: 04/17/2015
Supersedes Revision: 02/25/2015

10. Stability and Reactivity

Stability: Unstable [] Stable [X]

Conditions To Avoid -

None.

Instability:

Incompatibility - Materials To Strong oxidizing agents, Strong bases, Aluminum, Water, Metals. acids, Aluminum and

Avoid: Soft Metals. gelatin, nitromethane, leather, flammable liquids, organic halogens. Lead.

Tin/tin oxides.

Hazardous Decomposition Or Carbon monoxide, Toxic fumes of sodium oxide, Nitrogen oxides, formed under fire

Byproducts:

conditions. Sodium oxides, silicon oxides.

Possibility of Hazardous

Will occur [] Will not occur [X]

Reactions:

Conditions To Avoid - None.

Hazardous Reactions:

11. Toxicological Information

Toxicological Information: No data available.

CAS# 111-76-2:

Carcinogenicity/Other

Acute toxicity, LD50, Oral, Rat, 470.0 MG/KG.

Information:

Results:

Behavioral: Somnolence (general depressed activity).

Behavioral: Muscle weakness.

- Dow Chemical Company Reports., Dow Chemical USA, Health and Environment

Research, Toxicology Research Lab, Midland, MI 48640, Vol/p/yr: MSD-46,

Acute toxicity, LC50, Inhalation, Rat, 450.0 PPM, 4 H.

Results:

Behavioral: Ataxia.

Nutritional and Gross Metabolic: Weight loss or decreased weight gain.

- Toxicology and Applied Pharmacology, Academic Press, Inc., 1 E. First St., Duluth, MN

55802, Vol/p/yr: 68,405, 1983

CAS# 1310-73-2:

Acute toxicity, LD50, Intraperitoneal, Mouse, 40.00 MG/KG.

Results:

Behavioral: Somnolence (general depressed activity).

- Comptes Rendus Hebdomadaires des Seances, Academie des Sciences., For

publisher information, see CRASEV, Paris France, Vol/p/yr: 257,791, 1963

CAS# 6834-92-0:

Acute toxicity, LD50, Oral, Mouse, 770.0 MG/KG.

Results:

Kidney, Ureter, Bladder:Changes in tubules (including acute renal failure, acute tubular

necrosis).

Kidney, Ureter, Bladder: Changes in bladder weight.

Nutritional and Gross Metabolic: Weight loss or decreased weight gain.

- Toxicology Letters., Elsevier Science Pub. B.V., POB 211, 1000 AE, Amsterdam 1000

AE Netherlands, Vol/p/yr: 31(Suppl),, 1986

California: Not listed. NTP: Not listed.

IARC: Not listed. CAS# 1310-73-2: Not listed by ACGIH, IARC, NTP, or CA Prop 65.

Printed: 07/14/2015 Revision: 04/17/2015 Supersedes Revision: 02/25/2015

Page: 5

CAS# 78-96-6: Not listed by ACGIH, IARC, NTP, or CA Prop 65. Carcinogenicity. NTP: No component of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

identified as a carcinogen or potential carcinogen by OSHA.

Carcinogenicity: NTP? No IARC Monographs? No OSHA Regulated? No

12. Ecological Information

No data available.

Results of PBT and vPvB

assessment:

CAS# 111-76-2:

LC50, Brine Shrimp (Artemia salina), nauplii, 1000000. UG/L, 24 H, Mortality, Water

temperature: 24.00 C C.

Results:

Morphological changes.

- Brine Shrimp Bioassay and Seawater BOD of Petrochemicals, Price, K.S., G.T. Waggy,

and R.A. Conway, 1974

CAS# 1310-73-2:

LC50, Western Mosquitofish (Gambusia affinis), adult(s), 125000. UG/L, 24 H, Mortality,

Water temperature: 22.00 C - 24.00 C C, pH: 9.00.

Results:

No loss of equilibrium observed.

- Toxicity to Gambusia affinis of Certain Pure Chemicals in Turbid Waters, Wallen, I.E.,

W.C. Greer, and R. Lasater, 1957

13. Disposal Considerations

Waste Disposal Method: Dispose of contents and container according to the local, city, state and federal

regulations.

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: NOT REGULATED FOR DOMESTIC TRANSPORT.

DOT Hazard Class: UN/NA Number:

LAND TRANSPORT (Canadian TDG):

TDG Shipping Name: Not Regulated.

MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: Not Regulated.

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: Not Regulated.

Page: 6
Printed: 07/14/2015
Revision: 04/17/2015
Supersedes Revision: 02/25/2015

15. Regulatory Information

CAS # Hazardous Components (Chemical Name) Other US EPA or State Lists

111-76-2 Ethanol, 2-Butoxy- CA PROP.65: No; CA TAC, 7

111-76-2 Ethanol, 2-ButoxyCA PROP.65: No; CA TAC, Title 8: TAC, Title 8
1310-73-2 Sodium hydroxide CA PROP.65: No; CA TAC, Title 8: TAC, Title 8
78-96-6 1-Amino-2-Propanol CA PROP.65: No; CA TAC, Title 8: No

6834-92-0 Silicic acid (H2SiO3), Disodium salt CA PROP.65: No; CA TAC, Title 8: No

16. Other Information

Hazard Rating System:





HMIS:

Revision Date: 04/17/2015

Additional Information About No data available.

This Product:

Company Policy or

Disclaimer:

The manufacturer believes the data set forth are accurate and makes no warranty with respects thereto and disclaims all liability for reliance thereon. Such data are offered solely for consideration, investigation and verification. Also, the data set forth is for the concentrated finished product. All lab samples are for experimental purposes only and used at the customers discretion.